

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 1 of 4

Complete if Known

Application Number	10/667,685
Filing Date	09/22/2003
First Named Inventor	Mark Heldreth
Art Unit	3733
Examiner Name	Anuradha Ramana
Attorney Docket Number	DEP777NP

U. S. PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		US- 5033291	07/23/1991	Podoloff, et al	
		US- 4856993	08/15/1989	Maness, et al	
		US- 5197488	03/30/1993	Kovacevic, Nebojsa	
		US- 5360016	11/01/1994	Kovacevic, Nebojsa	
		US- 5496352	03/05/1996	Renger, Herman L.	
		US- 5470354	11/28/1995	Hershberger, et al	
		US- 5425775	06/20/1995	Kovacevic, et al	
		US- 6174294	01/16/2001	Crabb, et al	
		US- 5197488	03/30/1993	Kovacevic, Nebojsa	
		US- 5326363	07/05/1994	Aikins, Jerry L.	
		US- 5360016	11/01/1994	Kovacevic, Nebojsa	
		US- 5425775	06/20/1995	Kovacevic, et al	
		US- 5840047	11/24/1998	Stedham, David M.	
		US-			
		US-			
		US-			
		US-			
		US-			

FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Foreign Patent Document Country Code ³ Number ⁴ Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶

Examiner Signature	Date Considered
--------------------	-----------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 1 Applicant's unique citation designation number (optional). 2 See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 3 Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 4 For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. 5 Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. 6 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Sheet

1

of

4

Complete if Known

Application Number	10/667,685
Filing Date	09/22/2003
First Named Inventor	Mark Heldreth
Art Unit	3733
Examiner Name	Anuradha Ramana
Attorney Docket Number	DEP777NP

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No.†	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	72
		HARRIS, M.L., ET AL, "An Improved Method for Measuring Tibiofemoral Contact Areas in Total Knee Arthroplasty: A Comparison of K-Scan Sensor and Fuji Film," Journal of Biomechanics (1999), 32 ed., p. 951-958,	
		SZIVEK, JOHN A., PH.D., ET AL, "Average and Peak Contact Stress Distribution Evaluation of Total Knee Arthroplasties," The Journal of Arthroplasty (1996), Vol. 11 (No. 8), p. 952-963,	
		BEHRENS, FRED M.D., ET AL, "Bendign Stiffness of Unilateral and Bilateral Fixator Frames," Clinical Orthopaedics and Related Research (September 1983), p. 103-110,	
		VALDEVIT, ANTONIO, ET AL, "Characterization and Application of Think Film Pressure Sensors," Bio-Medical Materials and Engineering (1999), p. 81-88,	
		GOLA, M.M., ET AL, "Developments in Transducer Stems for Mechanical Coupling Measurements in Endoprosthetics," MEP Ltd. (1982), Vol. 11 (No. 4), p. 183-186,	
		AN, KAI-NAN ET AL, "Direct In Vivo Tendon Force Measurement System," J. Biomechanics (1990), Vol. 23 (No. 12), p. 1269-1271,	
		FILIAGGI, MARK J., ET AL, "Evaluating Sol-Gel Ceramic Thin Films for Metal Implant Applications. II Adhesion & Fatigue Properties of Zirconia Films on Ti-6Al-4V," Journal of Biomedical Materials Research (Applied Biomaterials) (1996), p. 239-256,	
		KAUFMAN, KENTON R., ET AL, "Instrumented Implant for Measuring Tibiofemoral Forces (1996)," Journal Biomechanics, Vol. 29 (No. 5), p. 667-671,	
		MARKOLF, KEITH L., PH.D., ET AL, "In Vitro Measurement of Bone-Acrylic Interface Pressure During Femoral Component Insertion," Clinical Orthopaedics and Related Research (November-December, 1976), p. 60-66,	
		ENGLISH, T.A., ET AL, "In Vivo Records of Hip Loads Using a Femoral Implant with Telemetric Output (A Preliminary Report)," Journal Biomedical Engineering (April 1979), Vol. 1 (No. 2), p. 111-115,	

Examiner
SignatureDate
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patents and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet

2

of

4

Complete if Known

Application Number 10/667,685
Filing Date 09/22/2003
First Named Inventor Mark Heldreth
Art Unit 3733
Examiner Name Anuradha Ramana
Attorney Docket Number DEP777NP

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No.†	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	†2
		OH, INDONG, M.D., ET AL, "Proximal Strain Distribution in the Loaded Femur," The Journal of Bone and Joint Surgery (January 1978), Vol. 60A (No. 1), p. 75-85,	
		TAKAHASHI, TOSHIKI ET AL, "Soft Tissue Balancing with Pressure Distribution During Total Knee Arthroplasty," The Journal of Bone and Joint Surgery (March 1997), p. 235-239,	
		DAVY, D.T., ET AL, "Telemetric Force Measurements Across the Hip after Total Arthroplasty," The Journal of Bone and Joint Surgery (January 1988), Vol. 70A (No. 1), p. 45-50,	
		BROWN, RICHARD H., ET AL, "Telemetering In Vivo Loads from Nail Plate Implants," Journal Biomechanics (1982), Vol. 15 (No. 11), p. 815-823,	
		LAU, J.J., ET AL, "The Influence of Inserting of Fuji Pressure Sensitive Film Between the Tibiofemoral Joint of Knee Prosthesis on Actual Contact Characteristics," Clinical Biomechanics (2001), p. 160-166,	
		GUPTA, SUSHI K., M.D., ET AL, "Use of Piezoelectric Film Sensor for Monitoring Vascular Grafts," The American Journal of Surgery (August 1990), p. 182-186,	
		MCDERMOTT, A.G.P., M.D., ET AL, "A New Method to Measure Intraosseous Pressures," Clinical Orthopaedics and Related Research (July 1986), p. 25-27,	
		MANN, R.W., ET AL, "Rehabilitation Implications of In Vivo Hip Pressure Measurements," Proceedings of the Ninth Annual Conference on Rehabilitation Technology (June 23-26, 1986), Association for the Advancement of Rehabilitation Technology (Minneapolis, Minnesota (Copyright 1986)),	
		RUSHFELDT, P.D., ET AL, "Improved Techniques for Measuring In Vitro The Geometry and Pressure Distribution in the Human Acetabulum - II. Instrumented Endoprosthesis Measurement of Articular Surface Pressure Distribution," J. Biomechanics, Vol. 14 (No. 5), p. 315-323,	
		CARLSON, CHARLES E., ET AL, "A Look at the Prosthesis-Cartilage Interface: Design of a Hip Prosthesis Containing Pressure Transducers," J. Biomedical Material Research Symposium (1974), John Wiley & Sons, Inc., p. 261-269,	

Examiner
Signature

Date
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet

3

of

4

Complete if Known

Application Number

10/667.685

Filing Date

09/22/2003

First Named Inventor

Mark Heldreth

Art Unit

3733

Examiner Name _____

Anuradha Ramana

Attorney Docket Number

DEP777NP

NON PATENT LITERATURE DOCUMENTS

[illegible]

Examiner
Signature

Date
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 38 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.